





**Aphids** 



European red mite Mealy bugs



Mites







See back label for full list

## EnSpray 99°

SPRAYING OIL INSECTICIDE, MITICIDE & FUNGICIDE

An emulsifiable, narrow range spray oil for the control of scale, aphids and mites on citrus, pip and stone fruits, thrips on citrus, European red mite, mealy bug, scale insects and aphids on ornamentals and roses. Controls powdery mildew on grapes.

HERE

## **EnSpray 99**° 200ml



DANGER KEEP OUT OF REACH OF CHILDREN READ LABEL BEFORE USE HAZARD CLASSIFICATIONS: Aspiration hazard Category 1, Eve irritation Category 2. Designed for biocidal action.

**GENERAL INFORMATION: EnSpray 99®** is a highly refined narrow distillation range spraying oil which contains emulsifiers to facilitate mixing with water.

DIRECTIONS FOR HOME GARDEN USE

Mixing pays ground as gits we the required amount of water into the sprayer then add Engray psy and ground sing the work of the mixing with other pesticides add the enter product first, according to the manufacturer's instructions, then add the EnSpray 99° last. Maintain continuous agitation while spraying.

RECOMMENDATIONS FOR USE:

	PLANTS	USE	RATE
	Deciduous plants: Apples, pears and stone fruit	For control of European red mite, San Jose scale and aphids	15-20ml per litre of water. For scale control apply during dormant period up until green tip
	Citrus	For the control of scale insects, aphids, citrus red mite and thrips	10-1
	Evergreen Plants: Roses and Ornamentals	For the control of European red mite, mealy bug, scale insects and aphids	10ml per litre of water
	Grapes	Powdery mildew control	20ml per litre of water. Repeat at 7-10 day intervals.
	If you have any doubt about crop safety contact Grosafe Chemicals Ltd. or apply to a		

indiance first.

Indoor plants | Leaf polish. Apply with a soft cloth | 5ml per 200ml (1 cup ) of water.

WITHHOLDING PERIOD: 1 day

Registered to and distributed by GROSAFE CHEMICALS LTD

20 Jean Batten Drive, Mt Maunganui, 3116 PO Box 14 - 450 Tauranga Central 3141

Tel: 0800 220002 Email: info@grosafe.co.nz www.grosafe.co.nz

See container for Batch code & Date of Manufacture



TOXICITY: DANGER - May be fatal if swallowed and enters airways. Serious eye irritant. ECOTOXIC: Designed for biocidal action. Do not apply directly into or onto water. Avoid contamination of any water supply with product or empty container. PERSONAL PROTECTION: When mixing or loading wear overalls, impervious gloves and eye/ face protection. Avoid breathing spray mist. Wash hands and exposed skin

rensonal. PROTECTION: when mixing or loading wear overalls, impervious gloves and eye/ face protection. Avoid breathing spray mist. Wash hands and exposed skin after work.

STORAGE: Store in original container tightly closed and in a locked, dry, cool, well wentilated area away from foodstuffs. When stored appropriately this product should

ventilated area, away from foodstuffs. When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact the distributor for further information about the use of this product fift is older than this.

SPILLS AND DISPOSAL: When dealing with spills wear gloves. Contain and absorb with inert absorbent material then collect into container for disposal.

PRODUCT DISPOSAL: If possible dispose of by using according to the label, otherwise dispose of in an approved landfill.

CONTAINER DISPOSAL: Tiple insecontainer and add residue to mixture. Dispose of

dispose of in an approved landfill.

CONTAINER DISPOSAL: Triple rinse container and add residue to mixture. Dispose of via an approved recycler or in rubbish collection.

SAFETY DATA SHEET: A safety data sheet is available from Grosafe Chemicals Ltd.

FIRST AID: For advice call a doctor or the National Poisons Centre (0800 764 766). If

NOT induce vomiting. Immediately call the National Poisons Centre or doctor for advice. Ifin eyes, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical

attention. If on skin, wash with plenty of soap and water. Ifirritation occurs, get medical advice.

EMERGENCY RESPONSE 0800 CHEMCALL: (0800 243 622)

It is an offence to use this product on animals.

## Restraints

Do not spray under conditions that cause slow drying: i.e. low temperatures, high humidity. Do not spray in the late evening or early morning or during the hours of darkness: this could cause damage to the fruit.

COMPATIBILITY

Do not apply EnSpray 99\* within 14 days of applications of sulphur or lime sulphur, once crop growth has commenced.

Consult the label of the proposed additive. If doubt remains do not mix products.

ACTIVE INGREDIENT: 821g/L (980ml/L) mineral oil in the form of an emulsifiable concentrate. Unsulphonated residue not less than 99.0%.

Registered pursuant to the ACVM Act 1997, No P9104. See www.foodsafety.qovt.nz for registration conditions.

Approved pursuant to HSNO Act 1996, No HSR 100946. See www.epa.govt.nz for approval conditions.

WARRANTY This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of the product.